



Serial Number 10/408,334

## AMENDMENTS TO CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

### **Listing of Claims:**

1. (Currently Amended) A method for facilitating a test person to identify a test program item in a server test, the method comprising writing a plurality of basic first databases into a memory of each of a plurality of clients, wherein each first database comprises comparative data between a plurality of test program names and a plurality of test programs, and a window picture and a color of each test program, causing the test person to couple the clients to ~~the~~ a server for testing the server, and causing each client to perform steps of:

    providing a window by each client for permitting the test person to select a test program to be tested;

    reading the test program and a window picture and a color thereof from each first database in the memory based on the selected test program on the window;

    showing the window picture and the color on a position on the window corresponding to the test program name;

    causing the server to run the test program at the client;

    causing the client to receive a test finish signal sent from the server after the server has finished the running of the test program;

    reading a next test program and a window picture and a color thereof from each first database in the memory; and

    showing the window picture and the color of the next test program on a position on the window corresponding to the next test program name.

2. (Original) The method of claim 1, wherein the client further comprises a basic second database having comparative data between a plurality of client names and a client IP (Internet

protocol) so that when the test person couples the clients to the server for testing the server, each client will provide a window for permitting the test person to input a client name, read a corresponding IP from the second database in the memory based on an input client name, show the IP on a corresponding position on the window, and cause the server to run the test program at the client based on the IP.

3. (Currently Amended) The method of claim 2, wherein the window comprises a client name field for permitting a test person to input a client name, a client IP field, a test program dialog box containing a plurality of test program option buttons ~~of test program~~, a plurality of fields of test ~~item~~ items and techniques, a test launch button, a set default gateway button, and a ping server button for detecting a remote computer.

4. (Currently Amended) The method of claim 3, wherein in response to coupling the clients to the server for testing the server, each client searches comparative data between ~~the~~ client names and the client IP in the memory based on an input client name for finding a matched IP, writes the matched IP into a register, and shows the matched IP on the client IP field of the window.

5. (Currently Amended) The method of claim 4, wherein in response to coupling the clients to the server for testing the server, each client searches comparative data between the test program names and the test programs in the memory based on a selected test program item for finding a matched test program item, writes the matched test program item into the register, reads a corresponding color and a window picture from the memory based on the selected test program item, and shows the corresponding color and the corresponding window picture on the test program dialog box and one side of the test program dialog box respectively ~~so that it is possible of giving to give~~ prominence to the selected test program item by means of the corresponding color and the corresponding window picture.

6. (Currently Amended) The method of claim 5, wherein the window of each client further comprises a remote run dialog box including a plurality of ~~client numbers~~ remote run option

Serial Number 10/648,334

buttons and a plurality of commands so that the test person can select one of the ~~client numbers~~  
option buttons and one of the commands by clicking ~~by operating the client~~, and ~~operate~~ cause  
any ~~of other remote clients for causing the~~ remote client to run the selected command based on  
the IP.